

3 WALL SECTION • CONSTRUCTION BARRIER WALL
A-0.1G-A-0.1G SCALE: 1/2" = 1'-0"


GENERAL NOTE:

1. PROVIDE TEMPORARY EMERGENCY EGRESS LIGHTING ALONG EGRESS PATHS CREATED BY CONSTRUCTION BARRIER WITH 1 FOOT-CANDLE MIN. THE G.C. IS TO INSTALL WALL-MOUNTED EMERGENCY LIGHTING PACKS TAKEN FROM AREAS TO BE DEMOLISHED. PROVIDE TEMPORARY WIRING AS REQUIRED.
2. ALL WORK ABOVE EGRESS PATHS AND CONSTRUCTION BARRIERS IS TO BE PERFORMED DURING NON-CLASS HOURS.
3. THE G.C. IS TO PROVIDE AND INSTALL TEMPORARY CONSTRUCTION LIGHTING THAT IS TO PROVIDE 1 FOOT-CANDLE MINIMUM ILLUMINATION.
4. THE G.C. IS TO CONTACT THE STATE FIRE MARSHAL TO INSPECT TEMPORARY PASSAGEWAYS ONCE COMPLETE.


--- DENOTES AREAS NOT TO BE RENOVATED EXCEPT INSTALLATION OF NEW SPRINKLER SYSTEM

--- TEMPORARY EGRESS PATHS

⊗ TEMPORARY EXIST SIGNS



1 ENLARGED PHASE 2 PLAN • TEMPORARY BARRIER WALL
A-0.1G-A-0.1G SCALE: 3/32" = 1'-0"



1 ENLARGED PHASE 1 PLAN • TEMPORARY BARRIER WALL
A-0.1G-A-0.1G SCALE: 3/32" = 1'-0"

Date: MAY 11, 2010

REVISIONS

NO. DATE

Sheet

A-0.1G

File Number

RCC-A0.1G-PHASE

